



# BENTLEY LT-R

Order Form - NZ

January 1, 2024

## Customer and Order Information

Purchase Order *	Tag	
Dealer/Provider Name *		
Purchaser Name and Contact Information *		
Shipping Address *		
User Information (if available)	Weight _____ kgs	Height _____ cm <span style="float: right;">*required</span>

## Base Chair

**Bentley LT-R 20° Manual Tilt Wheelchair** Reverse Wheel Layout enhances user access for self-propulsion. [pdgmobility.com/blt-r](http://pdgmobility.com/blt-r)

BENTLEY-LTR Bentley LT-R 20° Manual Tilt Wheelchair \$

**i** Choose the standard **Bentley** with a steel frame for agitated or heavier users. See separate order form.

## Weight Capacity

02000 **113kg/250 lbs Chair Weight Capacity**

**User Weight Range** Required for setup of tilt uplift force.

- |   |   |  |
|---|---|--|
| <input type="checkbox"/> 02430 Up to 34kg/75 lbs            | <input type="checkbox"/> 02431 34kg/75 lbs to 45kg/100 lbs  | <input type="checkbox"/> 02432 45kg/100 lbs to 52kg/115 lbs  |
| <input type="checkbox"/> 02433 52kg/115 lbs to 68kg/150 lbs | <input type="checkbox"/> 02434 68kg/150 lbs to 90kg/200 lbs | <input type="checkbox"/> 02435 90kg/200 lbs to 113kg/250 lbs |

## Frame Options

02300 **Transit Tie Down System (TTDS)**  
TTDS includes 4 factory-installed transport brackets. TTDS has been tested according to ANSI/RESNA WC 19. See Owners Manual for complete details.

## Seat Width

Overall chair width is +9.5".

### Standard Seat Widths

- |   |   |   |
|---|---|---|
| <input type="checkbox"/> 03014 14" Seat Width | <input type="checkbox"/> 03015 15" Seat Width | <input type="checkbox"/> 03016 16" Seat Width |
| <input type="checkbox"/> 03017 17" Seat Width | <input type="checkbox"/> 03018 18" Seat Width | <input type="checkbox"/> 03019 19" Seat Width |
| <input type="checkbox"/> 03020 20" Seat Width | <input type="checkbox"/> 03021 21" Seat Width | <input type="checkbox"/> 03022 22" Seat Width |
- \$

## Seat Depth

### Standard Seat Depths (Adjustable)

- |   |   |
|---|---|
| <input type="checkbox"/> 04016 16" Seat Depth | <input type="checkbox"/> 04017 17" Seat Depth |
| <input type="checkbox"/> 04018 18" Seat Depth | <input type="checkbox"/> 04019 19" Seat Depth |
| <input type="checkbox"/> 04020 20" Seat Depth |   |
- \$

### Custom Seat Depths

- |   |    |
|---|----|
| <input type="checkbox"/> 04021 21" Seat Depth | \$ |
| <input type="checkbox"/> 04022 22" Seat Depth | \$ |

## Frame Colour

**PDG Premium Colours** View color swatches on PDG's website. [pdgmobility.com/colors](http://pdgmobility.com/colors)

- |   |   |   |
|---|---|---|
| <input type="checkbox"/> 05001 Black Shimmer      | <input type="checkbox"/> 05015 Sky Blue           | <input type="checkbox"/> 05016 Poppy Red        |
| <input type="checkbox"/> 05003 Fine Texture Black | <input type="checkbox"/> 05010 Lollypop Blue      | <input type="checkbox"/> 05011 Lollypop Red     |
| <input type="checkbox"/> 05017 Arctic Grey        | <input type="checkbox"/> 05018 Tropical Teal      | <input type="checkbox"/> 05019 Tangerine Orange |
| <input type="checkbox"/> 05020 Olive Green        | <input type="checkbox"/> 05021 Lush Lilac         | <input type="checkbox"/> 05012 Bubble Gum Pink  |
| <input type="checkbox"/> 05022 Leaf Green         | <input type="checkbox"/> 05023 Boysenberry Purple | <input type="checkbox"/> 05014 Daffodil Yellow  |
- 05200 **Custom Colour** Contact Permobil for specifications. \$


### Armrests


06000 **No Armrests**

**Height Adjustable Armrests (Single Post)** \$

06111 8"-11" Range       06114 10"-14" Range       06116 12"-16" Range

06100 **Fixed Height Armrests (12")** Full Length Armpad only.

 **Armrest Height** If provided, Armrests will be set to this height by PDG. If left blank, the default setting will be used.  
 Seat Pan to top of Armrest: \_\_\_\_\_ Does not include height of Armpad

 **Armrest Position** Indicate preference for Armrest position. If left blank, the default setting will be used.  
 In the interest of maintaining chair stability and avoiding interference with other chair functions, PDG may not be able to accommodate stated preference.

06401 Rear       06402 Mid       06403 Front

### Armpads

**Regular Armpads**

07100 Desk Length - 2" x 10"       07101 Full Length - 2" x 14"

**Waterfall Armpads** \$

07105 Desk Length - 2" x 10"       07106 Full Length - 2" x 14"

**Wide Armpads** May interfere with wheels in some tilt configurations. \$

07110 Desk Length - 3" x 10"       07111 Full Length - 3" x 12"

**Gel Armpads** May interfere with wheels in some tilt configurations. \$

07120 Full Length - 2" x 12"       07121 Full Length - 3.5" x 12"

**Contour Arm Trough with Hand Pad** May interfere with wheels in some tilt configurations. \$

07130 Right (4.5" x 18")       07131 Left (4.5" x 18")

### Armrest Options

**Armrest Wideners** Move Armrests outward by up to 1" on each side. Seat size does not change. May cause tilt interference.

07210 1" Total Additional Width \$

07211 2" Total Additional Width \$

07310 **Clothing Guards** Not compatible with 8"-11" Height range. \$

**Armrest Extensions** Not compatible with Desk Length Armpads. \$


07400 3" Extension - Forward       07401 3" Extension - Rearward

### Seat Pan

08000 **No Seat Pan**

08001 **Solid Aluminium Seat Pan** \$

### Seat Height

 **Don't forget** **Select desired Seat-to-Floor Height** STF Height is adjustable within the range of the chosen Subframe Plate (Low/High).

6" Casters	Low						High						
	RW	12"	13"	14"	15"	16"	RW	14"	15"	16"	17"	18"	19"
20"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	20"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
22"		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22"		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24"			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

8" Casters	Low						High						
	RW	12"	13"	14"	15"	16"	RW	14"	15"	16"	17"	18"	19"
24"			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24"			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

### Casters

**Urethane Casters** 8" Casters are compatible only with 24" Large Wheels.

- |   |   |    |
|---|---|----|
| <input type="checkbox"/> 11061 6" x 1.25" Caster size | <input type="checkbox"/> 11081 8" x 1.25" Caster size |    |
| <input type="checkbox"/> 11063 6" x 1.50" Caster size |   | \$ |
| <input type="checkbox"/> 11084 8" x 2.00" Caster size |   | \$ |

**Pneumatic Casters** 8" Casters are compatible only with 24" Large Wheels.

- |   |  |    |
|---|--|----|
| <input type="checkbox"/> 11161 6" x 1.25" Caster size |  | \$ |
| <input type="checkbox"/> 11181 8" x 1.25" Caster size |  | \$ |
| <input type="checkbox"/> 11184 8" x 2.00" Caster size |  | \$ |

- |   |  |    |
|---|--|----|
| <input type="checkbox"/> 11260 <b>Frog Legs 6" x 1.50" Aluminum Soft-Roll Casters</b> |  | \$ |
|---|--|----|

- |   |  |    |
|---|--|----|
| <input type="checkbox"/> 11400 <b>Frog Legs Suspension Forks</b> Only compatible with 24" Large Wheels. Requires 6" Soft-Roll Caster. |  | \$ |
|---|--|----|

### Large Wheels

**Composite Wheels**

- |   |   |   |  |
|---|---|---|--|
| <input type="checkbox"/> 12020 20" Wheel size | <input type="checkbox"/> 12022 22" Wheel size | <input type="checkbox"/> 12024 24" Wheel size |  |
|---|---|---|--|

**Spoke Wheels**

- |   |   |   |    |
|---|---|---|----|
| <input type="checkbox"/> 12120 20" Wheel size | <input type="checkbox"/> 12122 22" Wheel size | <input type="checkbox"/> 12124 24" Wheel size | \$ |
|---|---|---|----|



**Large Wheel Position** Indicate Large Wheel positioning preference. If left blank, the default setting will be used.

In the interest of maintaining chair stability and avoiding interference with other chair functions, PDG may not be able to accommodate stated preference.

- |                                     |                                    |   |
|-------------------------------------|------------------------------------|---|
| <input type="checkbox"/> 12401 Rear | <input type="checkbox"/> 12402 Mid | <input type="checkbox"/> 12403 Front Not compatible with 20"-22" Seat Depth |
|-------------------------------------|------------------------------------|---|

### Axle Type

- |   |
|---|
| <input type="checkbox"/> 13000 <b>Quick Release Axles</b> |
|---|

- |   |
|---|
| <input type="checkbox"/> 13010 <b>Fixed Axles</b> |
|---|

### Large Tires

- |  |
|--|
| <input type="checkbox"/> 14000 <b>Urethane Tires</b> |
|--|

- |  |    |
|--|----|
| <input type="checkbox"/> 14010 <b>Pneumatic Tires</b> May result in a finished Seat Height 1/2" greater than stated. | \$ |
|--|----|

- |  |    |
|--|----|
| <input type="checkbox"/> 14020 <b>Pneumatic Tires with Flat-Free Inserts</b> May result in a finished Seat Height 1/2" greater than stated. Not available with Spoke Wheels. | \$ |
|--|----|

### Handrims

- |   |
|---|
| <input type="checkbox"/> 15000 <b>No Handrims</b> |
|---|

- |   |
|---|
| <input type="checkbox"/> 15010 <b>Standard Aluminium Handrims</b> |
|---|

- |   |    |
|---|----|
| <input type="checkbox"/> 15020 <b>Plastic Coated Handrims</b> | \$ |
|---|----|

- |  |    |
|--|----|
| <input type="checkbox"/> 15030 <b>Projection Handrims</b> Composite Wheels only. 10 Projections, 30°, 1-1.8" Length. | \$ |
|--|----|

### Wheel Locks & Brakes

**User Wheel Locks**

- |   |   |
|---|---|
| <input type="checkbox"/> 16010 Push to Lock | <input type="checkbox"/> 16020 Pull to Lock |
|---|---|

**User-activated Unilateral Wheel Lock** Pull to Lock.

- |  |   |    |
|--|---|----|
| <input type="checkbox"/> 16310 Left Activation | <input type="checkbox"/> 16311 Right Activation | \$ |
|--|---|----|

### Wheel Lock Options

- |   |    |
|---|----|
| <input type="checkbox"/> 16100 <b>Wheel Lock Extensions</b> | \$ |
|---|----|

- |   |    |
|---|----|
| <input type="checkbox"/> 16200 <b>Hill Holders</b> Requires Pneumatic Large Tires with Flat-Free Inserts. | \$ |
|---|----|



### Anti-Tippers

**Front Anti-Tippers** Required Safety Option. Must choose one type.

- 17010 Standard \$
- 17015 Spring-loaded Dampens the forward-tip movement of the chair during transfers and allows for improved ground clearance. Not removable. \$

### Back Posts

**Back Post Style**

- 18010 Stroller Handle Back

**Back Post Height** Measured from the Seat Pan to the Handle.

- 18425 Short (22")  18431 Tall (25")

**Back Post Folding** Fold-down Back is not compatible with Reclining Backrest.

- 19220 Fold-down

**Seat to Back Angle** Seat Angles above 98° may cause interference at Seat Depths above 19".

- 19090 Set at 90°  19098 Set at 98°  19106 Set at 106°
- 19114 Set at 114°  19122 Set at 122°

### Back Options

**Angle/Height Adjustable Stroller Handle** Not compatible with Headrest Mounting Plate. \$

- 19010 Button on Outside  19011 Button on Inside

**Endomorph Back** Backrest will be narrower than Seat by total of 2x the Offset selected below. Minimum width of Backrest is 12". \$

- 18102 1" Offset per side  18103 1.5" Offset per side  18104 2" Offset per side

**10" Backrest Extension** Not compatible with Angle/Height Adjustable Stroller Handle. \$

- 19210 10" Backrest Extension \$

**Headrest Mounting Plate** \$

Not compatible with Backrest Extension, Angle/Height Adjustable Stroller Handle. Not required if mounting to a solid Back.

### Back Upholstery

- 20000 No Back Upholstery

**Standard Upholstery** \$

- 20418 Short (18" Height)  20421 Regular (21" Height)  20424 Tall (24" Height)

**Tension Adjustable Upholstery** Height of Upholstery is 16". \$

- 20450 Tension Adjustable Upholstery \$

**Position of Upholstery** Select the desired position of the top of the Upholstery relative to the Seat Pan.

		22" Back Post									
Style	17"	18"	19"	20"	21"	22"	23"	24"	25"		
Short	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
Regular				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
Tension Adj			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					

		25" Back Post									
Style	17"	18"	19"	20"	21"	22"	23"	24"	25"		
Short	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Regular				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Tall							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Tension Adj			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

### Tilt Activation

**Attendant Tilt only** Select trigger mounting location below.

- 23011 Right Back Post  23012 Left Back Post

**User Tilt only** Full Length Arm Pads only. Select trigger mounting location below. \$

- 23021 Right Armrest  23022 Left Armrest

**Attendant & User Tilt** Full Length Arm Pads only. Select trigger mounting locations below. \$

- 23031 Right Back Post  23032 Left Back Post
- 23041 Right Armrest  23042 Left Armrest

- 23110 Tilt Trigger Extension \$

See next page for more options >

**Power Tilt** 113kg / 250 lbs Weight Capacity. 20° tilt range. Includes 2 batteries for off-chair charging. [pdgmobility.com/power-tilt](http://pdgmobility.com/power-tilt)  
 Minimum Seat Width is 15". Power Tilt is compatible with either O2 Holder or IV Pole on the same chair, not both. Not available for 12" STF Height.

<input type="checkbox"/>	23400	Standard Power Tilt				\$
<input type="checkbox"/>	23410	Power Tilt with Manual Tilt Override	Allows for instant manual release of tilt in case of power tilt failure.			\$
<input checked="" type="checkbox"/> <b>Select Control Switch</b>		Toggle Switch	<input type="checkbox"/> 23421 Installed on Right side	<input type="checkbox"/> 23422 Installed on Left side		
		Button Switch	<input type="checkbox"/> 23431 Installed on Right side	<input type="checkbox"/> 23432 Installed on Left side		
		Stealth Egg Switch	<input type="checkbox"/> 23440 Not installed			
		Optional for Egg Switch:	<input type="checkbox"/> 23445 Swing Away Mounting Hardware	Not compatible with all Headrest makes and models.		\$

*Specify Headrest to be used:* \_\_\_\_\_

**Recline**

<input type="checkbox"/>	23310	<b>Reclining Backrest (Manual)</b>		\$
--------------------------	-------	------------------------------------	--	----

30° maximum recline. Not compatible with Backrest Extension, Fold-down Back, Tension Adjustable Upholstery. Requires longer Frame.  
 Maximum Seat Depth is 19". Finished Back Post Height is 3" taller than selected Back Post Height.

**Front Rigging**

<input type="checkbox"/>	25000	<b>No Front Rigging</b>		
		<b>Easy-Out™ Front Rigging</b>	Effortless insertion and removal. No Hanger Bracket remains on frame. <a href="http://pdgmobility.com/easy-out">pdgmobility.com/easy-out</a>	
<input type="checkbox"/>	25410	Fixed 70°	Not available for 12" STF Height.	\$
<input type="checkbox"/>	25420	Universal Angle Adjustable (0°-110°)	Set at angle: _____ (use increments of 10°) 12" STF Height is only compatible with 0°-60°. Adjust angle by loosening one bolt. Tool-free leg-length adjustment.	\$
<input type="checkbox"/>	25110	<b>Standard Plug In 70° Front Rigging</b>	Legacy Design. Not compatible with Easy-Out.	

**Footplates**


<input type="checkbox"/>	26010	<b>Composite Footplates</b>		
<input type="checkbox"/>	26020	<b>Aluminium Angle Adjustable Footplates</b>		\$
<input type="checkbox"/>	26030	<b>One Piece Fixed Footplate</b>	Available on Plug In Front Rigging only. Requires selection of Composite or Aluminium Angle Adjustable.	\$
<input type="checkbox"/>	26040	<b>One Piece Flip-up Footplate</b>	Requires selection of Composite or Aluminium Angle Adjustable.	\$
<input type="checkbox"/>	26050	<b>Interlocking Angle Adjustable Footplates</b>	Available for Seat Widths up to 21" only.	\$

**Footrest/Legrest Accessories**

<input type="checkbox"/>	27012	<b>Calf Pads</b>	Includes reinforced premium Calf Pad mount.	\$
<input type="checkbox"/>	27032	<b>Gel Knee Pads</b>	Compatible with Universal Angle Adjustable Front Rigging only.	\$
<input type="checkbox"/>	27040	<b>Length Adjustable Heel Loops</b>		\$
<input type="checkbox"/>	27050	<b>Bodypoint Padded Calf Strap</b>		\$

**Front Rigging Extension Tubes**

		<b>Regular Extension Tubes</b>		
<input type="checkbox"/>	28010	Short	14"-18" for Easy-Out Front Rigging 13"-17" for Standard Plug In Front Rigging	
<input type="checkbox"/>	28020	Long	18"-24" for Easy-Out Front Rigging 15"-19" for Standard Plug In Front Rigging	\$

 **Lower Leg Length** If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used.  
 Seat Pan to Foot Plates: \_\_\_\_\_ Measured along the length of the Front Rigging. Consider the height of your Seat Cushion.

**Miscellaneous Options**

		<b>Spoke Guards</b>	Made from durable and lightweight aluminium.	\$
<input type="checkbox"/>	30020	Black		
<input type="checkbox"/>	30021	Frame Colour		



# BENTLEY LT-R

Order Form - NZ

January 1, 2024

<input type="checkbox"/>	30050	<b>Protective Lower Padding</b>							\$
		<b>Stealth Flip Down Abductor</b>	Requires Solid Seat Pan.						\$
<input type="checkbox"/>	30060	Small Pad	3"x4"x3"x2" size	<input type="checkbox"/>	30062	Large Pad	5"x5"x4"x3" size		
<input type="checkbox"/>	30080	<b>Gel Hip Guides</b>	Reduces available Seat Width by 2".						\$
<input type="checkbox"/>	30110	<b>IV Pole</b>							\$
<input type="checkbox"/>	30120	<b>O2 Holder</b>							\$
<input type="checkbox"/>	30200	<b>Q'Strain Lap Belt</b>	Model S5-6329-11. For use with WC-19 Transit Tie Down System. 24"-51" Belt Length.						\$
<input type="checkbox"/>	30222	<b>Wheelchair Backpack</b>	Black with PDG Logo. 17"x14" size.						\$
<input type="checkbox"/>	30170	<b>Adhesive Back Hook Strip, 2" x 30"</b>	For Cushion mounting.						\$

## Order Notes