



### Customer and Order Information

Purchase Order *	Tag	
Dealer/Provider Name *		
Purchaser Name and Contact Information *		
Shipping Address *		
User Information (if available)	Weight _____ kgs	Height _____ cm <span style="float: right;">*required</span>

### Base Chair

<input checked="" type="checkbox"/> ECLIPSE <b>Eclipse Bariatric Manual Wheelchair</b>	\$
--	----

### Weight Capacity

<b>Chair Weight Capacity</b>		
<input type="checkbox"/> 02000	272kg/600 lbs Capacity	
<input type="checkbox"/> 02100	454kg/1000 lbs Capacity	Not compatible with Transit Tie Down System. <span style="float: right;">\$</span>

### Frame Options

<input type="checkbox"/> 02300	<b>Transit Tie Down System (TTDS)</b>	\$
TTDS includes 4 factory-installed transport brackets. TTDS has been tested according to ANSI/RESNA WC 19. See Owners Manual for complete details. Tested to max. Weight Capacity of 272kg/600 lbs. Not compatible with O2 holder or IV pole.		

### Seat Width Overall chair width is +8"

<b>Seat Widths</b>		Seat Width is adjustable with the optional Adjustment Kit (sold separately).		
<input type="checkbox"/> 03520	20" Seat Width	<input type="checkbox"/> 03522	22" Seat Width	\$
<input type="checkbox"/> 03524	24" Seat Width	<input type="checkbox"/> 03526	26" Seat Width	\$
<input type="checkbox"/> 03528	28" Seat Width	<input type="checkbox"/> 03530	30" Seat Width	\$
<input type="checkbox"/> 03532	32" Seat Width	<input type="checkbox"/> 03536	36" Seat Width	\$
<input type="checkbox"/> 03540	40" Seat Width	<input type="checkbox"/> 03544	44" Seat Width	\$
<input type="checkbox"/> 03599	Unlisted Seat Width (between sizes)	Seat Width: _____ (use increments of 1")	<input type="checkbox"/> 03548 48" Seat Width	\$
				<i>Add this fee to the price of the next-bigger size</i>

ⓘ Seat Widths greater than 48" are available for Custom Chairs

### Seat Depth


<b>Seat Depths (Adjustable)</b>		
<input type="checkbox"/> 04016	16" Seat Depth	<input type="checkbox"/> 04017 17" Seat Depth
<input type="checkbox"/> 04018	18" Seat Depth	<input type="checkbox"/> 04019 19" Seat Depth
<input type="checkbox"/> 04020	20" Seat Depth	<input type="checkbox"/> 04021 21" Seat Depth
<input type="checkbox"/> 04022	22" Seat Depth	\$

<b>Custom Seat Depths</b>		\$
<input type="checkbox"/> 04023	23" Seat Depth	<input type="checkbox"/> 04024 24" Seat Depth
		Not available with TTDS.

### Frame Colour

<b>PDG Premium Colours</b> View colour swatches on PDG's website. <a href="http://pdgmobility.com/colors">pdgmobility.com/colors</a>		
<input type="checkbox"/> 05001	Black Shimmer	<input type="checkbox"/> 05015 Sky Blue
<input type="checkbox"/> 05003	Fine Texture Black	<input type="checkbox"/> 05010 Lollypop Blue
<input type="checkbox"/> 05017	Arctic Grey	<input type="checkbox"/> 05018 Tropical Teal
<input type="checkbox"/> 05020	Olive Green	<input type="checkbox"/> 05021 Lush Lilac
<input type="checkbox"/> 05022	Leaf Green	<input type="checkbox"/> 05023 Boysenberry Purple
<input type="checkbox"/> 05016	Poppy Red	<input type="checkbox"/> 05011 Lollypop Red
<input type="checkbox"/> 05019	Tangerine Orange	<input type="checkbox"/> 05012 Bubble Gum Pink
<input type="checkbox"/> 05014	Daffodil Yellow	
<input type="checkbox"/> 05200	<b>Custom Colour</b> Contact Permobil for specifications.	\$

### Armrests

<input type="checkbox"/>	06000	<b>No Armrests</b>		
<b>Dual Post Height Adjustable Armrests</b>				\$
<input type="checkbox"/>	06214	10"-14"	<input type="checkbox"/>	06216 12"-16" Not compatible with Desk Length Armrests.
<input type="checkbox"/>	06200	<b>Dual Post Fixed Height Armrests (12")</b>		
	<b>Armrest Height</b> If provided, Armrests will be set to this height by PDG. If left blank, the default setting will be used.			
	Seat Pan to top of Armrest: _____		Does not include height of Armpad	

### Armpads

<b>Regular Armpads</b>				
<input type="checkbox"/>	07100	Desk Length - 2" x 10"	<input type="checkbox"/>	07101 Full Length - 2" x 14"
<b>Wide Armpads</b> May interfere with wheels in some tilt configurations.				\$
<input type="checkbox"/>	07110	Desk Length - 3" x 10"	<input type="checkbox"/>	07111 Full Length - 3" x 12"
<b>Gel Armpads</b> May interfere with wheels in some tilt configurations.				\$
<input type="checkbox"/>	07120	Full Length - 2" x 12"	<input type="checkbox"/>	07121 Full Length - 3.5" x 12"

### Armrest Options

<input type="checkbox"/>	07250	<b>Forward Guards</b>		\$
<input type="checkbox"/>	07400	<b>Armrest Extensions - Forward</b>	Not compatible with Desk Length Armrests.	\$

### Seat Pan

<input checked="" type="checkbox"/>	08001	<b>Solid Aluminium Seat Pan</b>		\$
-------------------------------------	-------	---------------------------------	--	----


### Seat Height

<b>Front Seat Height</b> Front and Rear Height can be max. 1" apart.				
<input type="checkbox"/>	10014	14" STF Front	<input type="checkbox"/>	10015 15" STF Front
<input type="checkbox"/>	10017	17" STF Front	<input type="checkbox"/>	10018 18" STF Front
<input type="checkbox"/>	10019	19" STF Front	<input type="checkbox"/>	10020 20" STF Front
<input type="checkbox"/>			<input type="checkbox"/>	10016 16" STF Front
				\$
<b>Rear Seat Height</b> Front and Rear Height can be max. 1" apart.				
<input type="checkbox"/>	10114	14" STF Rear	<input type="checkbox"/>	10115 15" STF Rear
<input type="checkbox"/>	10117	17" STF Rear	<input type="checkbox"/>	10118 18" STF Rear
<input type="checkbox"/>	10119	19" STF Rear	<input type="checkbox"/>	10120 20" STF Rear
<input type="checkbox"/>			<input type="checkbox"/>	10116 16" STF Rear
				\$

### Casters

<input checked="" type="checkbox"/>	11050	<b>5" Casters With Heavy Duty Steel Fork</b>		
-------------------------------------	-------	--	--	--

### Rear Wheels

<input checked="" type="checkbox"/>	12224	<b>24" Heavy Duty Spoke Wheels</b>		
	<b>Rear Wheel Position</b> Positions 3 and 4 not compatible with TTDS.			
In the interest of maintaining chair stability and avoiding interference with other chair functions, PDG may not be able to accommodate stated preference.				
<input type="checkbox"/>	13101	Set at 1 (Rear)	<input type="checkbox"/>	13102 Set at 2
<input type="checkbox"/>	13103	Set at 3	<input type="checkbox"/>	13104 Set at 4 (Front)

### Axle Type

<input checked="" type="checkbox"/>	1113000	<b>Quick Release Rear Axles</b>		
-------------------------------------	---------	---------------------------------	--	--

### Rear Tires

<input checked="" type="checkbox"/>	1114000	<b>Urethane Tires</b>		
-------------------------------------	---------	-----------------------	--	--



**Handrims**

15000 **No Handrims**

15010 **Standard Aluminium Handrims**

15020 **Plastic Coated Handrims** \$

**Wheel Locks**

**User Wheel Locks**

16010 Push to Lock  16020 Pull to Lock

**Wheel Lock Options**

16100 **Wheel Lock Extensions** \$ 0

**Anti-Tippers**

17010 **Rear Anti-Tippers** Required Safety Option. \$

**Back Posts**

**Back Post Style**

18030 Stroller Handle Back  18040 Cane Handle Back Not compatible with Headrest Mounting Plate.

**Back Post Height** Measured from the Seat Pan to the Handle.

18425 Short (22")  18431 Tall (25")

**Seat to Back Angle**

19085 Set at 85°  19090 Set at 90°

19095 Set at 95°  19100 Set at 100°

**Back Options**

**Endomorph Back** Backrest will be narrower than Seat by total of 2x the Offset selected below. \$

18102 1" Offset per side  18103 1.5" Offset per side  18104 2" Offset per side

19210 **10" Backrest Extension** \$

19212 **Headrest Mounting Plate** Not required if mounting to a solid Back. \$

**Back Upholstery**

20000 **No Back Upholstery**

**Tension Adjustable** \$

20421 Regular (18" Height)  20424 Tall (22" Height)

**Position of Upholstery** Select the desired position of the top of the Upholstery relative to the Seat Pan.

		22" Back Post								
Style	17"	18"	19"	20"	21"	22"	23"	24"	25"	
Regular	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				
Tall				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>				

		25" Back Post								
Style	17"	18"	19"	20"	21"	22"	23"	24"	25"	
Regular	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Tall					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

**Recline**

23310 **Reclining Backrest (Manual)** \$

30° maximum recline. Not compatible with Backrest Extension. Reclining Backrest is 1" narrower than Seat Width. Back Frame is not removable. Finished Back Post Height is 3" taller than selected Back Post Height. Not recommended for user weight above 204kg/450 lbs. Maximum Seat Depth is 23".

### Front Rigging

<input type="checkbox"/>	25000	<b>No Front Rigging</b>	<input type="checkbox"/>	25001	<b>Sector Blocks only</b>	
<input type="checkbox"/>	1125002	<b>Center Mount Front Rigging Bracket</b>				\$
<b>PDG Easy-Out™ Heavy Duty Front Rigging</b> Effortless insertion and removal. No Hanger Bracket remains on frame. <a href="http://pdgmobility.com/easy-out">pdgmobility.com/easy-out</a>						
<input type="checkbox"/>	25410	Fixed 60°				\$
<input type="checkbox"/>	25420	Universal Angle Adjustable (0°-60°)	Set at angle: _____	(use increments of 10°)		\$
Adjust angle by loosening one bolt. Tool-free leg-length adjustment.						
<b>Swing Away Front Rigging</b> Legacy Design. Not compatible with Easy-Out.						
<input type="checkbox"/>	25140	Swing Away 60°				\$
<input type="checkbox"/>	25200	Swing Away Elevating Legrests	Includes Calf Pads.			\$
<input type="checkbox"/>	25300	1" Offset Hangers for Swing Away				\$


### Footplates

<input checked="" type="checkbox"/>	26020	<b>Aluminium Angle Adjustable Footplates</b>				\$
-------------------------------------	-------	--	--	--	--	----

### Footrest/Legrest Accessories

<input type="checkbox"/>	27015	<b>Oversized 9" x 10" Calf Pad</b>	Not compatible with Seat Width of less than 25".			\$
<b>Calf Pads</b>						
<input type="checkbox"/>	27012	For Easy-Out™ Front Rigging	Includes reinforced premium Calf Pad mount.	<b>Currently not available for Easy-Out.</b>		\$
<input type="checkbox"/>	27010	For Swing Away Front Rigging				\$
<b>Gel Knee Pads</b>						
<input type="checkbox"/>	27032	For Easy-Out™ Angle Adjustable Front Rigging				\$
<input type="checkbox"/>	27030	For Swing Away ELR Front Rigging				\$
<input type="checkbox"/>	27040	<b>Length Adjustable Heel Loops</b>				\$
<input type="checkbox"/>	27051	<b>Calf Strap</b>	Available up to maximum size of 32".			\$

### Front Rigging Extension Tubes

<b>Regular Extension Tubes</b>						
<input type="checkbox"/>	28010	Short	14"-18" for Easy-Out Front Rigging	13"-17" for Swing Away Front Rigging		\$
<input type="checkbox"/>	28020	Long	18"-24" for Easy-Out Front Rigging	15"-19" for Swing Away Front Rigging		\$
	<b>Lower Leg Length</b> If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used.					
	Seat Pan to Foot Plates:	_____	Measured along the length of the Front Rigging. Consider the height of your Seat Cushion.			

### Miscellaneous Options

<input type="checkbox"/>	30110	<b>IV Pole</b>	Not compatible with TTDS.			\$
<input type="checkbox"/>	30120	<b>O2 Holder</b>	Not compatible with TTDS.			\$
<input type="checkbox"/>	30200	<b>Q'Straint Lap Belt</b>	Model S5-6329-11. For use with WC-19 Transit Tie Down System. 24"-51" Belt Length.			\$
<input type="checkbox"/>	30222	<b>Wheelchair Backpack</b>	Black with PDG Logo. 17"x14" size.			\$
<input type="checkbox"/>	30170	<b>Adhesive Back Hook Strip, 2" x 30"</b>	For Cushion mounting.			\$

### Order Notes