

Date

User

End user weight (kg)

Language user manual

NHS Tender Spec

Combination includes choice of V-trak Standard or Deep Contoured Back with Quick release or Fixed Mount. Joker Junior standard NHS build, with optional extra's highlighted in **red**.

**Rigid frame wheelchair
CRASH TEST APPROVED**

£1,700.00

VAT not included

Wheelchair measures - The tolerance on all the dimensions indicated and/or required is ± 10 mm

Seat width (LS)

☐ 30 ☐ 33 ☐ 36

The seat width is measured from the outer sides of the frame, while the distance between the two side guards is 1 cm wider.

Seat depth (PS)

☐ 27,5 ☐ 30 ☐ 32,5 ☐ 35 ☐ 37,5 ☐ 40

Seat depth can be increased by 2,5 or 5 cm.

Footplate distance (DP)

..... min 8 - max 39,5 (cm) ± 0.5 cm - adjustment steps 1.5cm

(Real distance between seat and footplate) - IMPORTANT NOTICE! From the footplate to the floor minimum 4cm !! (Minimum Front height = DP + 4cm)

Setting

☆ Standard ☐ Prudential ☐ Active

Backrest Height (TS)

Std.Value 33,5(min 29 - max 51) adjustment steps 1.5cm

camber

☆ 0° ☐ 2° ☐ 4°

Front height (STD 45)

Casters 3" (min 35 - max 51)

Casters 4" (min 35 - max 52)

Casters 5" (min 32 - max 52)

T

Rear height (STD 41)


Rear wheels 22" (min 35 - max 45)

Rear wheels 24" (min 37 - max 47)


Permobil Limited

Front frame


☆ Aluminium frame - Angle 95°



☆ Frame with abduction



☐ Straight frame



Frame colour

Frame colour (without extra charge)

☆ Opaque black

☐ Tekno anthracite

☐ Pearl white

☐ Matt Midnight blue

☐ Matt orange

☐ Matt grey

☐ Matt red

Frame colour on request

○ Bright silver

○ Bright blue

○ Bright fuchsia

○ Bright lime

○ Bright blue china

○ Bright red


12579

72.00

Footplate

☆ One piece aluminium footplate - Flip-up! FLIP-UP! - rake and depth adjustable

Footplate distance (min 8 - max 39,5)



Handle tube

☆ Tubes with standard handle

○ Folding handles

Not available with: Push handles for companion

Minimum backrest height 30,5cm



02958

151.00

Date	Order	User	Address
------------	-------------	------------	---------------

Fork colour ☆ Opaque black ☐ Bright silver ☐ Pearl white ☐ Bright red ☐ Tekno anthracite ☐ Matt grey ☐ Bright blue ☐ Bright fuchsia ☐ Bright lime ☐ Matt Midnight blue ☐ Matt red 08342 38.00	Colour rear wheels To be matched only with: Rear wheels Ultra-light Progeo - Standard! (22 - 24) ☆ Black ☐ Bright silver ☐ Pearl white ☐ Bright red ☐ Tekno anthracite ☐ Matt grey ☐ Bright blue ☐ Bright fuchsia ☐ Bright lime ☐ Matt Midnight blue ☐ Matt red 04692 38.00
---	--

Casters ☆ 4" Soft ☐ 3" Sport <i>Lightest configuration</i> ☐ 5" Soft

Rear wheels ☆ 24" Ultra-light Progeo - Standard! ☐ 22" Ultra-light Progeo - Standard!

Rear wheel tyre ☆ High pressure tyre <i>Lightest configuration</i> (22"-24") ☐ High pressure profile tyre (24")

Handrim Wheel distance ☆ 3 cm ☐ 4 cm ☆ Aluminium <i>Lightest configuration</i> (22"-24")
--

Wheel locks ☆ Bent lever push to lock ☐ Straight lever push to lock ☐ Straight lever pull to lock	 
---	--

Mudguard ☆ Removable ABS mudguard ☐ Removable ABS fibre straight sideguard
--

Date	Order	User	Address
------------	-------------	------------	---------------

Armrests				
☐ Tubular armrests	(Swing away, removable and height adjustable armrest)		04828	106.00
Height assembly (to the seat): ☐ 27 ☐ 28,5 ☐ 30 ☐ 31,5 ☐ 33 ☐ 34,5 ☐ 36				
Removable armrest with integrated mudguard				
☐ Removable armrest with ABS straight sideguard			08881	134.00

SAFETY ☐ 4 points tie-down system rings (installation must be carried out by the manufacturer) A head restraint suitable for transportation must be available and fitted accordingly during transportation.	
---	---

Optional 1				
☐ Anti-tipper with rapid hookup (inside rotation to reduce the encumbrance) The first is provided free of charge	☆ Right ☐ Left		06821 06822	76.00
<u>The second has extra charge</u>	☐ Right ☐ Left			


Optional 2				
☐ One piece Push handle for companion	(Removable and height adjustable)		08930	106.00
☐ Push handles for companion	(Removable and height adjustable)		03645	106.00
☐ Tetraclick	(Quick release axle for quadriplegic)		03947	106.00
☐ Safety pelvic belt			03972	38.00
☐ Harness			04103	76.00
☐ Spoke guards Black	(22"-24")		01043	89.00
☐ Spoke guards Transparent	(22"-24")		00835	89.00
☐ Spoke guards Progeo design	(22"-24")		00019	106.00

Additional Kit			
☐ 24" Off-road rear wheels	Off-Road tyre - aluminium handrim (black colour)	03378	299.00
☐ 24" FAT rear wheels	FAT tyre 3" - aluminium handrim (black colour)	09357	526.00

Standard Contour Back Support				
Height	User Width - Sizing Approx			
	23-27cm	27-33 cm		
30cm	☐ AXR-S	☐ AXR-M		Shallow contour 
24cm	☐ VP-P1			
20cm		☐ AXSB-MF		Shallow contour 
16cm	☐ AXSB-SF	☐ AXSB-MR		
14cm	☐ AXSBSR			

Deep Contour Back Support				
Height	User Width - Sizing Approx			
	23-27cm	27-33 cm	31-37 cm	
30cm	☐ AXDR-S	☐ AXDR-M	☐ AXDR-L	
24cm	☐ VPDC1			
20cm		☐ AXSBD-MF	☐ AXSBD-LF	
16cm	☐ AXSBD-SF	☐ AXSBD-MR	☐ AXSBD-LR	
14cm	☐ AXSBD-SR			

Backrest Extension - <i>including adjustment hinge</i>			
User Width - Sizing Approx			
	18cm	24cm	
10cm	☐ BKXT-S		
16cm		☐ BKXT-M	

Mounting Hardware			
☐ Fixed Adjustable hardware			
☐ Quick release Adjustable Hardware			

Wheelchair : Progeo JOKER JUNIOR 2.0 - Rev. 2025.0		Prices - VAT excluded to be added to the price list		Send this page only if any optional have been chosen	
				☒ standard	(supplied if no requests are indicated)
				☐ on request	(without extra charge)
				☐ optional	(cost to be added at the basic price)

permobil